

UTILITY PATENT APPLICATION TRANSMITTAL <i>(Only for new nonprovisional applications under 37 CFR 1.53(b))</i>	<i>Title of Invention</i>	System and Method for Providing Regional Settings for Server-Based Applications
	<i>Named Inventor(s)</i>	Ludovic Hauduc and Tuna Ertemalp
	<i>Attorney Docket</i>	06576.105029 - MS No. 154666.1
	<i>Express Mail Label No.</i>	EF045414118US

APPLICATION ELEMENTS	ACCOMPANYING APPLICATION PARTS								
<p>1. <input checked="" type="checkbox"/> Fee Transmittal Form <i>(Submit an original, and a duplicate for fee processing)</i></p> <p>2. <input type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27.</p> <p>3. <input checked="" type="checkbox"/> Specification, Claims, and Abstract Total Pages 15</p> <p>4. <input checked="" type="checkbox"/> Drawings Total Sheets 8</p> <p>5. Oath or Declaration Total Pages 2</p> <p style="margin-left: 20px;">a. <input checked="" type="checkbox"/> Newly executed (original or copy)</p> <p style="margin-left: 20px;">b. <input type="checkbox"/> Copy from prior application (37 CFR 1.63(d)) <i>(for continuation/divisional with Box 17 completed)</i></p> <p style="margin-left: 40px;">(i) <input type="checkbox"/> <u>DELETION OF INVENTOR(S)</u> Signed statement attached deleting inventor(s) named in the prior application, see 37 CFR 1.63(d)(2) and 1.33(b).</p> <p>6. <input type="checkbox"/> Application Data Sheet. See 37 CFR 1.76.</p> <p>7. <input type="checkbox"/> CD-ROM or CD-R in duplicate, large table or Computer Program <i>(Appendix)</i></p> <p>8. Nucleotide and/or Amino Acid Sequence Submission <i>(if applicable, all necessary)</i></p> <p style="margin-left: 20px;">a. <input type="checkbox"/> Computer Readable Form (CRF)</p> <p style="margin-left: 20px;">b. Specification Sequence Listing on:</p> <p style="margin-left: 40px;">i. <input type="checkbox"/> CD-ROM or CD-R (2 copies); or</p> <p style="margin-left: 40px;">ii. <input type="checkbox"/> paper</p> <p style="margin-left: 20px;">c. <input type="checkbox"/> Statement verifying identity of above copies</p>	<p style="text-align: right;">Assistant Commissioner of Patents Box Patent Application Washington, D.C. 20231</p> <p>9. <input checked="" type="checkbox"/> Assignment Papers (cover sheet & document(s))</p> <p>10. <input type="checkbox"/> 37 CFR 3.73(b) Statement <i>(when there is an assignee)</i></p> <p style="margin-left: 40px;"><input type="checkbox"/> Power of Attorney by assignee</p> <p>11. <input type="checkbox"/> English Translation Document <i>(if applicable)</i></p> <p>12. <input type="checkbox"/> Information Disclosure Statement (IDS) PTO-1449</p> <p style="margin-left: 40px;"><input type="checkbox"/> Copies of IDS Citations</p> <p>13. <input type="checkbox"/> Preliminary Amendment</p> <p>14. <input checked="" type="checkbox"/> Return Receipt Postcard (MPEP 503) <i>(Should be specifically itemized)</i></p> <p>15. <input type="checkbox"/> Certified Copy of Priority Document(s)</p> <p>16. <input checked="" type="checkbox"/> Other: Checks \$710.00 and \$40.00 _____</p> <p>_____</p> <p>_____</p>								
<p>17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information:</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;"><input type="checkbox"/> Continuation</td> <td style="width: 33%;"><input type="checkbox"/> Divisional</td> <td style="width: 33%;"><input type="checkbox"/> Continuation-in-part (CIP)</td> <td style="width: 33%;">of prior application No: _____</td> </tr> <tr> <td colspan="3">Prior application information: Examiner: _____</td> <td>Group/Art Unit: _____</td> </tr> </table> <p style="font-size: small;">For CONTINUATION OR DIVISIONAL APPS only: The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 5b, is considered as being part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation <u>can only</u> be relied upon when a portion has been inadvertently omitted from the submitted application parts.</p>		<input type="checkbox"/> Continuation	<input type="checkbox"/> Divisional	<input type="checkbox"/> Continuation-in-part (CIP)	of prior application No: _____	Prior application information: Examiner: _____			Group/Art Unit: _____
<input type="checkbox"/> Continuation	<input type="checkbox"/> Divisional	<input type="checkbox"/> Continuation-in-part (CIP)	of prior application No: _____						
Prior application information: Examiner: _____			Group/Art Unit: _____						
<p>18. CORRESPONDENCE ADDRESS:</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> <p>W. Scott Petty, Esq. KING & SPALDING 45th Floor 191 Peachtree Street, N.E. Atlanta, Georgia 30303</p> </td> <td style="width: 50%; vertical-align: top;"> <p>By: Date: <u>November 1, 2000</u> Telephone: 404.572.4600 Facsimile: 404.572.5145 Customer No. 20786</p> </td> </tr> </table>		<p>W. Scott Petty, Esq. KING & SPALDING 45th Floor 191 Peachtree Street, N.E. Atlanta, Georgia 30303</p>	<p>By: Date: <u>November 1, 2000</u> Telephone: 404.572.4600 Facsimile: 404.572.5145 Customer No. 20786</p>						
<p>W. Scott Petty, Esq. KING & SPALDING 45th Floor 191 Peachtree Street, N.E. Atlanta, Georgia 30303</p>	<p>By: Date: <u>November 1, 2000</u> Telephone: 404.572.4600 Facsimile: 404.572.5145 Customer No. 20786</p>								

FEE TRANSMITTAL

Attorney Docket No. 06576.105029 - MS No. 154666.1

This sheet accompanies a patent application transmittal for the following application:

Inventor(s): Ludovic Hauduc and Tuna Ertemalp
Filing Date: November 1, 2000
Title: System and Method for Providing Regional Settings for Server-Based Applications

The filing fee is calculated as shown below:

1. FILING FEE:

FOR:	SMALL ENTITY		LARGE ENTITY	
	FEE	FEE PAID	FEE	FEE PAID
<input checked="" type="checkbox"/> UTILITY FILING FEE	\$355		\$710	\$710
<input type="checkbox"/> DESIGN FILING FEE	\$160		\$320	
<input type="checkbox"/> PLANT FILING FEE	\$245		\$490	
<input type="checkbox"/> REISSUE FILING FEE	\$355		\$710	
<input type="checkbox"/> PROVISIONAL FILING FEE	\$75		\$150	
SUBTOTAL (1)		\$xxx		\$710

2. CLAIMS:

FOR:	SMALL ENTITY			LARGE ENTITY		
	NO. FILED	NO. EXTRA	RATE	FEE	RATE	FEE
TOTAL CLAIMS	8 - 20 =	0	x 9 =		x 18 =	0
INDEP. CLAIMS	3 - 3 =	0	x 40 =		x 80 =	0
<input type="checkbox"/> MULTIPLE DEPENDENT CLAIM PRESENTED			+135 =		+270 =	
SUBTOTAL (2)				\$xxx		\$0

3. ADDITIONAL FEES:


FOR:	SMALL ENTITY		LARGE ENTITY	
	FEE	FEE PAID	FEE	FEE PAID
<input type="checkbox"/> LATE FILING, FEE OR OATH	\$65		\$130	
<input type="checkbox"/> NON-ENGLISH SPECIFICATION	\$130		\$130	
<input type="checkbox"/> OTHER				
SUBTOTAL (3)		\$xxx		\$xxx

TOTAL FILING FEES: \$710

A check is enclosed for the total amount: \$710

☐ Charge any additional fees required under 37 C.F.R. 1.16 or 1.17 to Deposit Account 11-0980.

KING & SPALDING
45th Floor, 191 Peachtree Street, N.E.
Atlanta, Georgia 30303
Telephone: 404.572.4600

By: 
W. Scott Petty, Attorney for Applicant
Reg. No. 35,645

Date: November 1, 2000

SYSTEM AND METHOD FOR PROVIDING REGIONAL SETTINGS FOR SERVER-BASED APPLICATIONS

TECHNICAL FIELD

5 The present invention is generally directed to providing application content in a distributed computing environment in a variety of different languages. More specifically, the present invention supports a server-based conversion of content of an application sensitive to regional settings, such as numbers, dates, times and currency values, into the format corresponding to a desired language. The conversion is accomplished without altering the code for the application and without reproducing separate versions of the application in desired
10 languages with distinct regional settings.

BACKGROUND OF THE INVENTION

007977-420450
15 The Internet has quickly become a popular means for transmitting information because of the world-wide access it provides to information resources. The information on the Internet is available in a variety of formats and it can have educational, entertainment, or business purposes. The World Wide Web (the "Web") is one of the largest and most popular distributed computing networks that make-up the Internet. The Web comprises interconnected computers from around the world. A computer connected to the Internet can download digital information from Web server computers. The Web comprises resources and clients that communicate digital
20 information and instructions typically using a format known as Hypertext Markup Language (HTML). These instructions can include information for formatting text, linking to digital data, and receiving digital data.

25 One of the assets of the Web, world-wide interconnectivity, can also be an obstacle in that people around the world speak different languages. The information generated by Web server computers is typically in one language. A further problem is that languages often have distinct formats (regional settings) for information pertaining to dates, times, currencies, and counting numbers. For example, the date October 23, 2000 is expressed in the United States as 10/23/00, but in Europe is generally expressed as 23/10/00. These constraints limit the usefulness and value of the Web server computer on a global scale.

30 The conventional approach to solving this problem is to design a single Web page in one language with its regional settings that permits a client to choose a language from a limited list of

languages supported by the site. Copies of the Web applications are reproduced in the languages supported by the site. The regional settings for each copy are also modified to correspond to the language of that copy. Once the client makes a language selection, it is directed to one set of the Web applications in the chosen language.

5 The conventional approach is a labor-intensive solution in that a separate set of Web pages or Web applications must be created in each language with the correct regional settings. Any time the Web application is changed or updated, each version of the Web application must be changed to make the language and regional settings current. Maintaining a separate version of the Web application for each language and its regional settings is time consuming and limits
10 the practical ability to support many different languages.

In view of the foregoing, there is a need in the art for a method and system which will allow Web applications to support many different languages and their regional settings. Specifically, there is a need for Web applications to provide content in various languages without separate versions of the application for each language. There is a further need to change Web applications and keep them current without having to alter the same element in each version of a Web application.

SUMMARY OF THE INVENTION

15 The present invention is generally directed to software modules operating in a distributed computing environment. Specifically, the invention is designed to operate on a wide area network such as the World Wide Web (the "Web"). The Web comprises Web pages or Web applications that reside on computer servers in a network and that can be accessed by clients. The invention can convert the contents of a Web application so that the format for region-specific information, such as dates, times, counting numbers, and currency values, conforms to
20 that of the client's particular language. The invention enables the changing of formats of the elements that make-up the content of the application without altering the underlying code of the application.

25 The present invention operates in a distributed computing environment with at least one server and clients connected to the server. A client will access a desired application located on a
30 server. To enable the client to receive an application in a desired language, the server determines the client's language preference. Language pack software modules residing on the server contain

the encoded strings of the application and their corresponding translation in a particular language. Using the appropriate language pack, the server can convert, or localize, the encoded strings in the application content to the client's preferred language. A text converter software module also residing on the server can place all data that is sensitive to regional settings in the correct format for the client's preferred language. The text converter receives all strings that are sensitive to regional settings from the ASP Engine and places them in the proper format. The text converter returns the properly formatted strings to the ASP Engine. Upon completing the localization and formatting, the server can send the application content to the client.

Existing Web applications do not permit efficient conversion of regional settings into many languages. The conventional approach involves creating a homepage in one language and then providing links from the homepage to duplicate sets of Web pages. Each duplicate set is translated into a different language with the appropriate format information for the regional settings. In contrast, the present invention requires only one set of Web pages for the specific Web application. The single application contains elements that make-up the content of the application and are encoded as strings.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a functional block diagram illustrating the operating environment for an exemplary embodiment of the present invention.

FIG. 2 is a functional block diagram illustrating the architecture of a distributed computer network in accordance with an exemplary embodiment of the present invention.

FIG. 3 is a logic flow diagram illustrating an overview of an exemplary process for converting a Web application into a language selected by a client with the appropriate regional settings.

FIG. 4 is a logic flow diagram illustrating an exemplary process for a server to adopt a client's regional settings.

FIG. 5 is a logic flow diagram illustrating an exemplary process for determining a client's language preference.

FIG. 6 is a logic flow diagram illustrating an exemplary process for localizing a Web application with a language pack.

FIG. 7 is a logic flow diagram illustrating an exemplary process for formatting regional settings.

FIG. 8 is a logic flow diagram illustrating an exemplary process for sending a localized and formatted application to a client.

5

DETAILED DESCRIPTION OF THE EXEMPLARY EMBODIMENTS

10 The present invention allows for the server-based translation of content for an application into a variety of different languages with the correct regional setting format. Instead of having to create a different version of a particular application for every desired language, only one version is maintained on a server computer. Files called language packs and text converters also reside on the server. Language packs contain the data for converting the application content into a desired language. A text converter is capable of placing information such as dates and times in the correct format for the desired language. When a client accesses an application residing on a server, it can choose a language for the application content to be displayed in by the browser. At the time the application is accessed, the client also transmits its regional setting information to the server. The data contained in the language packs is used to translate the application content. The text converter takes any data sensitive to the regional settings of the language, places the sensitive data in the proper format, and converts the formatted data to a string. An ASP Engine inserts the formatted string into the translated content of the application and, in turn, the server sends the application to the client.

15 20 Although the exemplary embodiments will be generally described in the context of software modules running in a distributed computing environment, those skilled in the art will recognize that the present invention also can be implemented in conjunction with other program modules for other types of computers. In a distributed computing environment, program modules may be physically located in different local and remote memory storage devices. Execution of the program modules may occur locally in a stand-alone manner or remotely in a client/server manner. Examples of such distributed computing environments include local area networks of an office, enterprise-wide computer networks, and the global Internet.

25 30 The detailed description which follows is represented largely in terms of processes and symbolic representations of operations in a distributed computing environment by conventional computer components, including remote file servers, remote computer servers, remote memory

storage devices, a central processing unit (CPU), memory storage devices for the CPU, display devices and input devices. Each of these conventional distributed computing components is accessible by the CPU via a communications network.

The processes and operations performed by the computer include the manipulation of signals by a CPU or remote server and the maintenance of these signals within data structures resident in one or more of the local or remote memory storage devices. Such data structures impose a physical organization upon the collection of data stored within a memory storage device and represent specific electrical or magnetic elements. These symbolic representations are the means used by those skilled in the art of computer programming and computer construction to most effectively convey teachings and discoveries to others skilled in the art.

Referring now to the drawings, in which like numerals represent like elements throughout the several figures, aspects of the present invention and the preferred operating environment will be described.

FIG. 1 illustrates various aspects of an exemplary computing environment in which the present invention is designed to operate. Those skilled in the art will appreciate that FIG. 1 and the associated discussion are intended to provide a brief, general description of the preferred computer hardware and program modules, and that additional information is readily available in the appropriate programming manuals, user's guides, and similar publications.

FIG. 1 illustrates a conventional personal computer 10 suitable for supporting the operation of the preferred embodiment of the present invention. As shown in FIG. 1, the personal computer 10 operates in a networked environment with logical connections to a remote server 225. The logical connections between the personal computer 10 and the remote server 225 are represented by a local area network 12 and a wide area network 13. Those of ordinary skill in the art will recognize that in this client/server configuration, the remote server 225 may function as a file server or computer server.

The personal computer 10 includes a CPU 14, such as "PENTIUM" microprocessors manufactured by Intel Corporation of Santa Clara, Calif. The personal computer also includes system memory 15, including read only memory (ROM) 16 and random access memory (RAM) 17, which is connected to the CPU 14 by a system bus 18. The preferred computer 10 utilizes a BIOS 19, which is stored in ROM 16. Those skilled in the art will recognize that the BIOS 19 is a set of basic routines that helps to transfer information between elements within the personal

computer 10. Those skilled in the art will also appreciate that the present invention may be implemented on computers having other architectures, such as computers that do not use a BIOS, and those that utilize other microprocessors.

Within the personal computer 10, a local hard disk drive 20 is connected to the system bus 18 via a hard disk drive interface 21. A floppy disk drive 22, which is used to read or write a floppy disk 23, is connected to the system bus 18 via a floppy disk drive interface 24. A CD-ROM or DVD drive 25, which is used to read a CD-ROM or DVD disk 26, is connected to the system bus 18 via a CD-ROM or DVD interface 27. A user enters commands and information into the personal computer 10 by using input devices, such as a keyboard 28 and/or pointing device, such as a mouse 29, which are connected to the system bus 18 via a serial port interface 30. Other types of pointing devices (not shown in FIG. 1) include track pads, track balls, pens, head trackers, data gloves and other devices suitable for positioning a cursor on a computer monitor 31. The monitor 31 or other kind of display device is connected to the system bus 18 via a video adapter 32.

The remote server 225 in this networked environment is connected to a remote memory storage device 33. This remote memory storage device 33 is typically a large capacity device such as a hard disk drive, CD-ROM or DVD drive, magneto-optical drive or the like. Those skilled in the art will understand that program modules such as an application 230 and a language conversion function 233 are provided to the remote server 225 via computer-readable media. The personal computer 10 is connected to the remote server 225 by a network interface 34, which is used to communicate over the local area network 12.

As shown in FIG. 1, the personal computer 10 is also connected to the remote server 225 by a modem 35, which is used to communicate over the wide area network 13, such as the Internet. The modem 35 is connected to the system bus 18 via the serial port interface 30. The modem 35 also can be connected to the public switched telephone network (PSTN) or community antenna television (CATV) network. Although illustrated in FIG. 1 as external to the personal computer 10, those of ordinary skill in the art can recognize that the modem 35 may also be internal to the personal computer 10, thus communicating directly via the system bus 18. It is important to note that connection to the remote server 225 via both the local area network 12 and the wide area network 13 is not required, but merely illustrates alternative methods of providing a communication path between the personal computer 10 and the remote server 225.

Although other internal components of the personal computer **10** are not shown, those of ordinary skill in the art will appreciate that such components and the interconnection between them are well known. Accordingly, additional details concerning the internal construction of the personal computer **10** need not be disclosed in connection with the present invention.

Those skilled in the art will understand that data such as regional settings **205** and program modules such as an operating system **36**, browser **213**, and other software modules **38** are provided to the personal computer **10** via computer-readable media. In the preferred computer, the computer-readable media include the local or remote memory storage devices, which may include the local hard disk drive **20**, floppy disk **23**, CD-ROM or DVD **26**, RAM **17**, ROM **16**, and the remote memory storage device **33**. In the preferred personal computer **10**, the local hard disk drive **20** is used to store data and programs, including the operating system and programs.

Referring now to FIG. 2, an exemplary architecture of the present invention will be described. FIG. 2 illustrates an exemplary system **200** for providing a localizable application. The system **200** includes clients **210**, **215**, and **220** and a server **225** and comprises a distributed computing environment. The server **225** receives digital signals from and sends digital signals to the clients **210**, **215**, and **220**, typically via a distributed computer network, such as the Internet. A browser **213** enables client **1** **210** to present digital content, based upon digital signals transmitted from the server **225**. The server further comprises software modules including an application **230** and a language conversion function **233**. The language conversion function **233** comprises a local string object **235**, an Active Server Page Engine **245**, language packs **240a** through **240n**, and a text converter **250**.

Using the browser **213**, client **1** **210** can access an application **230** on the server **225**. When the application is accessed, client **1** **210** also transmits regional settings **205**. As an example, the regional settings **205** could be collected by an Active X control residing on the client. The Active X control can collect the regional settings, encode them in a string, and the string would be transmitted when the client connects with the server. Upon receipt of the regional settings string, the server **225** adopts regional settings for client **1** **210**.

The local string object **235** determines the language the application **230** will be converted into based upon a client language preference. A language pack **240a** is selected that matches the language selected by the local string object **235**. The language pack **240a** provides a translation

for the content of the application 230. The Active Server Page Engine 245 calls the text converter 250 with any application data that is sensitive to regional settings. The local string object 235 sends the sensitive data to the text converter 250 where it is properly formatted and converted to a string. The local string object 235 returns the formatted strings to the ASP Engine 245 and the server 225 sends translated content for the application 230 to the client 210.

FIG. 3 is a logic flow diagram illustrating an overview of exemplary steps for a language localization process with regional settings. Referring now to Figs. 2 and 3, a process 300 begins at step 310, with client 1 210 accessing an application 230 on a server 225. The regional setting information for client 1 210 is transmitted to the server 225 at the time the application 230 is accessed. In step 315, the local string object 235 determines the client's language preference at the server 225. Once the client's language preference is determined in step 320, the local string object 235 selects the language pack 240a that supports the preferred language. In step 325, the selected language pack 240a supplies all of the localizable elements in the application 230. Formatting of any data in the application 230 sensitive to regional settings is accomplished in step 328. Finally, in step 330, the server 225 sends the localized and properly formatted application to the client 1 210.

FIG. 4 is a logic flow diagram illustrating an exemplary process for the server to adopt the regional settings of client 1 210 as represented in step 310. In step 411, the regional settings are sent from client 1 210 to the server 225. As an example, the regional settings could be packaged as a string and placed in a hidden form field. This string would accompany the initial request from the client 1 210 for the application 230. In step 412, the server 225 reads the regional settings information. The server 225 adopts the regional settings corresponding to the client 1 210 in step 413. The regional settings will control the format of data for the session that the client 1 210 maintains with the server 225.

FIG. 5 is a logic flow diagram illustrating in more detail the exemplary steps of task 315 for determining a client's language preference. Beginning with step 540, the local string object 235 looks to the browser 213 to determine whether the client 210 has set an explicit language preference. If client 1 210 has set explicit language preferences, they will be contained, in order of preference, in a signal that the browser 213 sends to the server 225 at the time of the initial access. If client 1 210 has not set an explicit language preference, the "No" branch is followed to step 555. If client 1 210 has set an explicit language preference, the "Yes" branch is followed to

step 545. The local string object determines in step 445 whether there is a language pack that supports client 1's explicit language preference.

If there is a supporting language pack, the "Yes" branch is followed from step 545 to step 570. The local string object 235 in step 570 sets a language variable to the client's language preference. If in step 545 there is no matching language pack, the "No" branch is followed to step 550 where the local string object 235 determines whether the browser 213 has transmitted other explicit language preferences for client 1 210. If client 1 210 has made other explicit language preferences, the "Yes" branch is followed back to step 545 and this loop continues until either an explicit language preference is matched to a language pack or client 1's preferences are exhausted. When the explicit language preferences are exhausted in step 550, the "No" branch is followed to step 555.

If step 555 is reached, client 1 210 does not have explicit language preferences and, consequently, the browser 213 transmits the operating system language of the client 1 210 to the server 225. The local string object 235 determines whether there is a language pack that matches the client 1 operating system language. If there is a language pack matching the operating system language, the "Yes" branch is followed to step 565 and the language variable is set to correspond with the client 1 operating system language. If there is no language pack that matches the client 1 operating system language, the "No" branch is followed to step 560 and the local string object 235 sets the language variable to a default setting predetermined by the server.

In step 575 the local string object 235 looks at a list of the language packs on the server and selects the language pack 240a corresponding to the language variable. This language pack 240a will be used to convert, or localize, the string elements in the application into a particular language. Each language pack on the server contains the string conversions for a language.

FIG. 6 sets forth in greater detail the process represented by task 325. Referring to FIG. 6, in step 678, each string of content in the application 230 is assigned a unique identifier. The unique identifier is used to locate the string in a table located within the language pack. In step 680, the ASP Engine 245, which renders the application content, calls the local string object for the localizable strings of content to be mapped. In response, the local string object maps the localizable strings of content in step 683 to the selected language pack 240a. Essentially, the mapping process is a search in the language pack for the string elements that make-up the application and their corresponding words or symbols in a specific language. In step 685, the

language pack **240a** searches its string tables for the unique identifier of each localizable string and the corresponding localized string. Once a string is located, it is converted into the localized string which is in the desired language. This process is completed for all the encoded strings of content in the application. The local string object **235** retrieves the localized strings from the language pack **240a** in step **688**. In step **690**, the local string object **235** passes the localized strings back to the ASP Engine **245**.

FIG. 7 is a logic flow diagram illustrating an exemplary process for formatting data to regional settings as represented in step **328**. In step **710** the ASP Engine **245** calls the text converter **250** with data that is sensitive to regional settings. For example, this data could be dates, times, counting numbers, or currency values. The order in which the day, month, and year are set forth in a date varies among languages. Commas and decimal points are also used in different ways in setting out numbers for counting or for currency values. In step **715** the text converter **250** puts the data in the desired format utilizing the regional settings adopted from client **1 210** at the time the server was accessed. Once in the desired format, the data is also converted to a string. Finally, in step **720**, the formatted string is returned to the ASP Engine **245**. The formatted string will be inserted into the HTML with the other strings retrieved from the selected language pack **240a**.

The steps represented in task **330** are set out in greater detail in FIG. 8. FIG. 8 illustrates the last phase of the process, actually transmitting the application to client **1 210** in the desired language and with the proper regional settings. In step **893**, the ASP Engine **245** renders the application in the selected language. This is typically accomplished by inserting the localized strings from the language pack **240a** and the formatted strings from the text converter **250** into HTML. Finally, the server **225** sends the localized and formatted application to the client's browser **213** as HTML content in step **895**.

Client **1 210** now has the application **230** in a language it can understand with the proper regional settings. At the same time, another client **215** may retrieve the application **230** in a different language and with different regional settings. A language pack **240n** for the client **215** selected language translates the application **230**. The text converter **250** again formats any data sensitive to the regional settings of the newly selected language. Once the application is translated and formatted, it is sent to the client **215**. Only one version of the application **230** exists on the server **225** to facilitate any changes that need to be made.

Those skilled in the art will appreciate that the invention has a wide range of applications beyond the environment of the World Wide Web. This method of language localization could be utilized in other types of distributed computing networks where there is a need to express content in varying languages. This method can also be used in a situation where the application resides
5 on a personal computer and localization occurs either on the personal computer or on another computer that is logically connected.

It will be appreciated that the present invention fulfills the needs of the prior art described herein and meets the above-stated objects. While there has been shown and described the preferred embodiment of the invention, it will be evident to those skilled in the art that various
10 modifications and changes may be made thereto without departing from the spirit and the scope of the invention as set forth in the appended claims and equivalence thereof.

CLAIMS

What is claimed is:

- 5 1. A method for receiving an application in a desired language with correct regional settings from a server comprising the steps of:
- using a client to access the application on the server;
- determining a language preference for the client;
- converting the content of the application to the client's language preference by
- 10 using a selected one of the language pack software modules on the server corresponding to the language preference;
- formatting the content of the application with regional settings corresponding to the client's language preference by using a text converter on the server; and
- transmitting the converted content of the application from the server to the client.
- 15
2. The method of claim 1, wherein the step of using a client to access an application on a server comprises the steps of:
- sending a regional settings string from the client to the server;
- reading the regional settings string at the text converter; and
- adopting regional settings for the client at the text converter.
- 20
3. The method of claim 1, wherein the step of formatting the content of the application with regional settings corresponding to the client's language preference comprises the steps of:
- 25 calling the text converter with data sensitive to regional settings;
- formatting the sensitive data to the regional settings corresponding to the client's language preference and converting the data to a string; and
- returning the formatted string to an Active Server Page Engine.
- 30 4. A computer-readable medium having computer-executable instructions for performing the steps recited in claim 1.

5. A computer system with a client capable of accessing an application residing on a server and sending a regional settings string to the server, wherein the server can provide client application content in a variety of languages with correct regional settings and the server comprises:

5 a local string software module residing on the server and operable for determining a client's language preference;

a plurality of language pack software modules residing on the server, each corresponding to a language and operable to convert the content of the application into a different language; and

10 a text converter residing on the server and operable for receiving data sensitive to regional settings and converting the sensitive data to a format corresponding with the client's language preference.

6. The system of claim 5, wherein the server is further operable for:
receiving the regional settings string from the client;
15 reading the regional settings string at the text converter; and
adopting the regional settings for the client at the text converter.

7. The system of claim 5, wherein the text converter software module residing on the server is further operable for:

20 receiving a call from an ASP Engine software module with data sensitive to regional settings;

formatting the sensitive data;

converting the formatted data into a string; and

returning the formatted string to an Active Server Page Engine.

25

30

8. A method for receiving an application in a desired language with correct regional settings from a server comprising the steps of:

using a client to access the application on the server;

sending a regional settings string from the client to the server;

5 reading the regional settings string at a text converter;

adopting the regional settings for the client at the text converter;

determining a language preference for the client;

converting the content of the client application to the client's language preference
by using a selected one of the language pack software modules on the server corresponding to
10 the language preference;

calling the text converter with data sensitive to regional settings;

formatting the sensitive data to the regional settings corresponding to the client's
language preference and converting the data to a string; and

returning the formatted string to an Active Server Page Engine; and


15 transmitting the converted content of the application from the server to the client.

SYSTEM AND METHOD FOR PROVIDING REGIONAL SETTINGS FOR SERVER-BASED APPLICATIONS

Abstract of the Disclosure

Using a server in a distributed computer network to provide an application to a client in the client's preferred language with the correct regional settings. A client accesses an application on a server and provides a preferred language and corresponding regional settings for the application. A local string software module determines the client's preferred language and selects a matching language pack software module. The language pack software module on the server takes the encoded content of the application and converts it into the language desired by the client. A text converter can take data such as dates, times, counting numbers, and currency values and convert them to the correct regional settings for the chosen language. The server then sends the translated application to the client. This approach eliminates the need to create separate applications for each language with distinct regional settings.

K&S Docket: 06576-105029



Architecture




FIG. 2

Overview of Language Localization Process with Regional Settings




FIG. 3

Adoption of Regional Settings

310





FIG. 4

Determination of Language Preference




FIG. 5

Localization of Application with Language Pack




FIG. 6

Format to Regional Settings

328






FIG. 7

Sending Localized and
Formatted Content to Client

330



893

ASP Engine
Inserts Localized
and Formatted
Strings into HTML

895




FIG. 8

DECLARATION AND POWER OF ATTORNEYAttorney's Docket No. **06576.105029** (MS No. 154666.1)In re Application of: **Ludovic Hauduc and Tuna Ertemalp**

As a below named inventor, I hereby declare that my residence, post office address and citizenship are as stated below next to my name. I believe I am an original, first and joint inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled: **System and Method for Providing Regional Settings for Server-Based Applications**, the specification of which is attached hereto.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above. I do not know and do not believe that the same was ever known or used by others in the United States of America before my or our invention thereof, or patented or described in any printed publication in any country before my or our invention thereof or more than one year prior to the date of this application. I further state that the invention was not in public use or on sale in the United States of America more than one year prior to the date of this application. *I understand that I have a duty of candor and good faith toward the Patent and Trademark Office*, and I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 (a)-(d) of the foreign application(s) for patent or inventor's certificate listed below, and have also identified below any foreign application for patent or inventor's certificate disclosing subject matter in common with the above-identified specification and having a filing date before that of the application on which priority is claimed:

<u>Application No.</u>	<u>Country</u>	<u>Filing Date</u>	<u>Priority Claimed Under 35 USC §119</u>
None			Yes _____ No <u>X</u>

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below:

<u>None</u>			
(Application No.)	(Filing Date)	(Application No.)	(Filing Date)

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter disclosed and claimed in the present application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

<u>Application Serial No.</u>	<u>Filing Date</u>	<u>Status: patented, pending, abandoned</u>
None		

I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statement were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patents issuing thereon.

POWER OF ATTORNEY: The following are hereby appointed to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: Sherry M. Knowles-33,052; W. Scott Petty-35,645; Clark G. Sullivan-36,942; Holmes J. Hawkins-38,913; Steven P. Wigmore-40,447; Curtis L. Doster-41,714; Charles Vorndran-45,315; Lisa K. Norton-44,977; Hoang M. Vo-47,158; Katie E. Sako-32,628; Daniel D. Crouse-32,022.

Send correspondence to: **King & Spalding**
191 Peachtree Street, N.E., 45th Floor
Atlanta, Georgia 30303

Direct telephone calls at **(404) 572-4600**

W. Scott Petty

Full name of sole or first inventor: **Ludovic Hauduc**Citizenship: **France**

Inventor's signature

Date:

10/31/00Residence and Post Office Address: **12935 NE 86th Street, Kirkland, Washington 98033**

DECLARATION AND POWER OF ATTORNEYAttorney's Docket No. **06576.105029** (MS No. 154666.1)In re Application of: **Ludovic Hauduc and Tuna Ertemalp**

As a below named inventor, I hereby declare that my residence, post office address and citizenship are as stated below next to my name. I believe I am an original, first and joint inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled: **System and Method for Providing Regional Settings for Server-Based Applications**, the specification of which is attached hereto.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above. I do not know and do not believe that the same was ever known or used by others in the United States of America before my or our invention thereof, or patented or described in any printed publication in any country before my or our invention thereof or more than one year prior to the date of this application. I further state that the invention was not in public use or on sale in the United States of America more than one year prior to the date of this application. *I understand that I have a duty of candor and good faith toward the Patent and Trademark Office*, and I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 (a)-(d) of the foreign application(s) for patent or inventor's certificate listed below, and have also identified below any foreign application for patent or inventor's certificate disclosing subject matter in common with the above-identified specification and having a filing date before that of the application on which priority is claimed:

<u>Application No.</u>	<u>Country</u>	<u>Filing Date</u>	<u>Priority Claimed Under 35 USC §119</u>
None			Yes _____ No <u>X</u>

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below:

<u>None</u>			
(Application No.)	(Filing Date)	(Application No.)	(Filing Date)

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter disclosed and claimed in the present application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

<u>Application Serial No.</u>	<u>Filing Date</u>	<u>Status: patented, pending, abandoned</u>
None		

I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statement were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patents issuing thereon.

POWER OF ATTORNEY: The following are hereby appointed to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: Sherry M. Knowles-33,052; W. Scott Petty-35,645; Clark G. Sullivan-36,942; Holmes J. Hawkins-38,913; Steven P. Wigmore-40,447; Curtis L. Doster-41,714; Charles Vorndran-45,315; Lisa K. Norton-44,977; Hoang M. Vo-47,158; Katie E. Sako-32,628; Daniel D. Crouse-32,022.


Send correspondence to: **King & Spalding**
191 Peachtree Street, N.E., 45th Floor
Atlanta, Georgia 30303

Direct telephone calls at **(404) 572-4600**

W. Scott Petty

Full name of sole or first inventor: **Tuna Ertemalp**Citizenship: **Turkey**

Inventor's signature

Date: **10/31/00**Residence and Post Office Address: **17525 NE 40th Street, Apartment A201, Redmond, Washington 98052**